

7616-70

12/20/2013

117



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

DEC 20 2013

Ms. Cristina Griffin, Agent For: KIK Pool Additives, Inc.
Delta Analytical Corporation
12510 Prosperity Drive, Suite 160
Silver Spring, Maryland 20904

Subject: Notification of Minor Label Changes per PR Notice 98-10
Kem-Tek All-In-One Chlorinating Granules
EPA Registration Number: **7616-70**
Application Date: November 5, 2013
EPA Receipt Date: November 6, 2013

Dear Ms. Griffin:

This acknowledges receipt of your Notification application, submitted under the provisions of FIFRA 3(c)9 and PR Notice 98-10.

Notification Purpose:

On behalf of KIK Pool Additives, Inc., I am submitting a label per PR Notice 98-10 to make minor label changes and add graphics to the product **Kem-Tek All-In-One Chlorinating Granules, EPA Reg. No. 7616-70.**

We are making the following minor label changes including:

1. Addition of minor label claims.
2. Addition of minor optional language.
3. Addition of clarifying Reader's Note to make the notes on this label identical with those approved on other KIK Pool Product Labels.
4. Addition of graphics (Pages 7 and 8).
5. Kit table on Page 11: In the registered Product All-In-One Chlorinating Granules columns, we corrected the numbers and rounding errors in the Table so that the numbers are consistent with Directions Use Rates on Page 6 [The remaining changes on the table involve clarifying the information on non-pesticidal products (pH minus, pH plus, and Clarifier).

2/17


General Comments:

The minor revisions undertaken in this Notification are primarily non-pesticidal in nature; that is, not regulated by FIFRA. The graphics presented here are those that have been approved previously on similar products for identical purposes.

Based on the review of the information submitted, the following comments apply. The Notification is **Acceptable**. A copy of the **accepted** Notification is attached in **Regulatory File Jacket 7616-70** for future reference.

If you have questions or comments with regard to this Agency Letter, please contact me by email at **Fuller.Demson@epa.gov** by telephone at **703-308-8062**. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,



Demson Fuller,
EPA Product Manager 32
Regulatory Management Branch II
Antimicrobials Division 7510P

3/17

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060.

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number NOTIF
--	---	--	---------------------------------------

Application for Pesticide - Section I

1. Company/Product Number 7616-70	2. EPA Product Manager Demson Fuller	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) KIK Pool Additives Inc. / Kem-Tek All-In-One Chlorinating Granules	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) KIK Pool Additives Inc. c/o Delta Analytical Corp. 12510 Prosperity Drive, Suite 160 Silver Spring, MD 20904 <i>Check if this is a new address</i>	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
---	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification per PR Notice 98-10 to make minor label changes, and add graphics.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material this Product will be Packaged in:

Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* For retail <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)
* Certification must be submitted.		If "Yes," Unit Package wgt. No. per container	If "Yes," Unit Package wgt. No. per container

3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) of Retail Container	5. Location of Label Direction <input checked="" type="checkbox"/> On Label or: <input type="checkbox"/> On Labeling accompanying product
6. Manner In Which Label Is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input checked="" type="checkbox"/> Other: <u>Sleeve</u>		


Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Cristina Griffin	Title Agent for KIK Pool Additives Inc.	Teleph. one No. (Include Area Code) 301-680-7971
---------------------------------	---	--

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any kind of knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Agent for KIK Pool Additives Inc.	6. Date Application Received (Stamped)
4. Typed Name Cristina Griffin	5. Date November 5, 2013	

4/17



November 5, 2013

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive, Room S-4900
Arlington VA 22202

Attn: Demson Fuller, PM 32

RE: Notification per PR Notice 98-10 to make minor label changes, and add graphics
Product: Kem-Tek All-In-One Chlorinating Granules
EPA Reg. No.: 7616-70
Company: KIK Pool Additives Inc.

Dear Demson:

On behalf of KIK Pool Additives Inc., I am submitting a label notification per PR Notice 98-10 to make minor label changes and add graphics for the product Kem-Tek All-In-One Chlorinating Granules, EPA Reg. No. 7616-70.

We are making the following minor label changes including: (changes are highlighted)

- Addition of minor label claims
- Addition of minor optional language
- Addition of clarifying reader's note to make the notes on this label identical with those approved on other KIK Pool labels
- Addition of graphics (page 7 and 8)
- Kit table on page 11: In the registered product All-In-One Chlorinating Granules columns, we corrected the numbers and rounding errors in the table so the numbers are consistent with direction use rates on page 6. [The remaining changes on the table involve clarifying the information on the non-pesticidal products (pH minus, pH plus, and clarifier)].

The following documents are enclosed in support of this notification:

- EPA form 8570-1
- One copy of the revised label (changes are highlighted)

If you have questions, please contact me at 301-680-7971 or cgriffin@delta-ac.com.

Sincerely,

Cristina Griffin
Agent for KIK Pool Additives Inc.

Enclosures

cc: Elvia Angulo, KIK Pool Additives Inc.
Justin Lowe, KIK International

KEM-TEK ALL-IN-ONE CHLORINATING GRANULES

[Previously approved Alternate Brand Names:]

- Aqua Guard All-In-One Chlorinating Granules
- Aqua Guard Spa Chlorinating Granules
- HDX All-In-One Chlorinating Granules
- HDX Spa Chlorinating Granules
- Kem-Tek Pool & Spa Care All-In-One Chlorinating Granules
- Kem-Tek Pool & Spa Care Spa Chlorinating Granules
- Kem Tek Spa Kem Chlorinating Granules
- Kem Tek Vinyl Pool Shock

NOTIFICATION
 Date Reviewed: 12-12-13
 Reviewed By: Killian Swift

ACTIVE INGREDIENT:

Sodium Dichloro-s-triazinetriene-Dihydrate... 99.0%

OTHER INGREDIENTS..... 1.0%

TOTAL..... 100.0%

[(56.0% available chlorine) or (Available Chlorine – 56.0%) or (AVAILABLE CHLORINE.....56.0%)]

KEEP OUT OF REACH OF CHILDREN

DANGER

See back panel for [First Aid and] other precautions
[or See [First Aid statement and] additional precautions on back panel]
[the "See back panel..." may be omitted if all labeling is on the same panel, e.g., the kit box]

Net [Wt.] _____ lbs
 ([_____ Kg])

[The following may appear in any appropriate place on the label:]

Manufactured by [for]:
 KIK Pool Additives, Inc.
 5160 E. Airport Dr.
 Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] [or Marketed through] *Insert additional company name and address*]
 EPA Reg. No. 7616-70
 EPA Est. Nos.: 7616-CA-01

[Free Pool Care Advice 1-800-SOS-POOL • www.kem-tek.com]
 [Questions? Pool Care Tips? 1-800-SOS-POOL]

FIRST AID: Call a poison control center [(1-800-222-1222)] [(1-866-366-5048)] or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment.
If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.
If swallowed: Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by poison control center or doctor. Do not give anything by mouth to an unconscious person. **If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. *[First Aid may be in table form]*

6/17

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Danger: CORROSIVE: Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust, vapor or spray mist. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

[For containers smaller than 50 pounds use the following:]

Environmental Hazards

This product is toxic to fish and aquatic organisms.

[In accordance with PR notice 95-1, use the following complete Environmental Hazards statement for containers 50 pounds and larger]

Environmental Hazards

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Physical or Chemical Hazard

STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE[-] CONTAINING GASES. DECOMPOSES AT 460° F TO 480° F WITH THE LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with the generation of heat, liberation of hazardous gases and possible generation of fire or explosion.

IN CASE OF FIRE, if possible, isolate container in open air or well-ventilated area. Flood with a large volume of water. [IN CASE OF] CONTAMINATION [OR DECOMPOSITION]: do not reseal container.

[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name]

[[Information in brackets[] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

Optional Label Claims/location optional:] [Claims may be in upper or lower case]

12' Diameter and Under

13' Diameter and Above

X% More FREE INSIDE

[Insert #] [Pack] [Step Pool Care System]

ABC Smart[er] Pool Care [System]

Add [Directly to Skimmer] or [Directly to Pool]

Add [dry product] through skimmer or directly to pool

All the Basics Needed for Start-Up and Continued Maintenance

B

Balanced pH

Bonus Buy

Buffered Sanitizer Shock Treatment for Crystal Clear Water

Built in clarifier

C

Can Be Broadcast Over Pool

Can be used in salt pools

[Chlorinate] [Chlorinator]

[Clarifies] [Clears cloudy] water

Compatible with salt pools

Contains # [/ #oz.] [Convenient Pre-Measured] Pouches

Contains No Calcium [or Calcium Free] [info for customer who needs a calcium free product for pool]

Controls Algae[+] [and] [Bacteria]

Convenient skimmer application

Daily Chlorinator & Shock

Destroys [Swimmer Contaminants] [Organic Wastes] [Organic Contaminants]

Dissolves [Completely] [Quickly] [Rapidly]

Do not mix this product with any other product

[NOTE:] Do not allow direct contact of this product on the following [pool] surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Always dilute in the water; [direct contact with surfaces will bleach color.] [Product will bleach color out]

Easy 1 2 3 Pool Care Brand System

Easy and Effective Pool Remedies

Easy skimmer application

Fast Acting [for Daily & Super Chlorination]

Fast Dissolving [Dichlor Shock] [Shock] [for Swimming Pools]

Fast sanitizer

For Above Ground Pool Start-Up

For all pool[s] [surfaces] [including vinyl, plaster and fiberglass]

For assistance, call xxx-xxx-xxxx

For Control of Algae [[&] [And]] Bacteria

For [Daily] [Everyday] [Shocking] Chlorination [and/or Shock [Treatment]]

For heavy bather loads or after heavy rains

For pool startup and weekly shock treatment

For Super-chlorination [or Super Chlorination]

For use with all [swimming] pool surfaces

For use as a Shock

For use in all Spas

Good for all pool surfaces

[Great] [Super] Value [pack]

Great [Ideal] for Vinyl Pools

Improves filter performance

INSIDE FREE X% More

Keeps water [clean] [crystal clear]

Kills [bacteria] [and/or] [algae]

Lasts Up to 3 Times Longer Than Unstabilized Granules* *When used as directed

Marketed Through: [add company name and address]

*[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name]**[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]*

Made in USA
 No Need to Pre-Dissolve
 One Bag Treats 10,000 Gallons *[change # gallons according to size of package]*
 Oxidizer
 [Part B] [Simply B] [Smart B] [Smarter B] [Step B]
 [Part C] [Simply C] [Smart C] [Smarter C] [Step C]
 Part of the [Kem Tek] [Simply Smart[er]] [Pool] [Care] [System]
 pH balanced
 pH Neutral - Reduces pH Adjustments
 Pool [and] [&] Spa Care
 Pools, Patios & Spas
 Quality & Satisfaction Guaranteed or your money back
 Quick [Chlorine Boost] [dissolving] [formula] [sanitizer] [shock treatment]
 Reduces [chemical needs] [chlorine odor] [and/or] [eye irritation]
 Removes [organic contaminants] [organic waste] and produces sparkling swimming pool water
 Restores crystal clarity to pool water
 Routine Maintenance Chlorinator
 Salt System Compatible
 Sanitize[r][s] [Pool Water] [Water]
 Shock
 Shocks water clear
 Shock Treatment [and] Super chlorinator for Swimming Pools and Spas
 [Simpler] [Smarter]
 Stabilized
 Step *[insert #]*
 Step [#] [2] [Two] of the Kem Tek Pool Care System
 Step [#]2 [Chlorinate] [Treatment]
 Step [#]3 [Shock] [Treatment]
 Suitable for [opening pools] [closing pools] [use in all pools] [pool winterization]
 Suitable for pool closing
 Swim [After Use[†]] [In 15 Minutes[†]] [In Just 15 Minutes After Use[†]]
 Swimming [pool sanitizer] [Pool Water Disinfectant]
 The Professional Side of Pool Care
 Use for [Above Ground Pool Start-Up] [Opening Pool] [Closing Pool]
 Use in Pop-Up Pools
 UV protected [protection]
 Value Pack
 Works immediately

[†]Pool may be used in 15 minutes after adding this product only when chlorine level is at or below 3 pp.m.

Step #1	Step #2	Step #3	Step #4	Step #5
Balance	Chlorinate	Shock	Algae Care	Clarify

[The following wording can vary depending on size of package:]
For 10 oz package:TREATS 8,000 GALLONS!

[Optional Label Claims/location optional:]

SHOCK TREATMENT

Shocking / Super Chlorinating Your Pool Water

Shock the pool when:

- An increased number of swimmers are using the pool.
- Chloramines are present in the water and the chlorine is not effectively working.
- The water is cloudy even though a proper chlorine level is maintained.

Shocking must be done periodically to remove waste materials like suntan oils, perspiration, body oils and other organic waste.

SHOCK SCHEDULE

Summer – Once per week Fall – Twice per month Winter – Once per month Spring – Twice per month

KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES Features & Benefits:

Dissolves Quickly / Controls Algae and Bacteria

The best time to shock is early evenings with the pool circulating system in operation. This way the sun will not reduce the effectiveness of the treatment.

[READ ALL PRECAUTIONARY STATEMENTS BEFORE USE]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[Use one or more of the following sets of directions]

[Pool Use:] ATTENTION: Never mix this concentrated chemical with any other substance except generous amounts of water. See CHEMICAL HAZARD[S] on this label. The use of KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES also requires the one time use of KEM TEK™ STABILIZER CONDITIONER as described in the directions below under Start Up. This two-component system results in a longer-lasting chlorine residual and reduced chlorine consumption. Both products are completely soluble.

[Spa Use:] ATTENTION: Never mix this concentrated chemical with any other substance except generous amounts of water. See CHEMICAL HAZARD[S] on this label.

VINYL-LINED POOL CARE: Vinyl-lined pools are easily damaged by chemicals used to treat and maintain pools. KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES are well suited for use in these pools, especially the above-ground pools which have 3-4 foot depths and are not equipped with a bottom drain. KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES dissolve quickly and completely (are easily pre-dissolved in a bucket of water to help avoid potential problems), so direct contact with the pool liner is reduced and there are no residues to be swept or vacuumed from the pool bottom. KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES also simplify pH control because it's pH neutral, compared to other forms of chlorinating products which contain calcium hypochlorite, sodium hypochlorite, and trichloroisocyanuric acid (NOTE: Insoluble crystal-forming reaction will result when using sodium bisulfate (dry pool acid) to adjust pH when used in conjunction with calcium hypochlorite). KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES will not cloud water even when super chlorinating which often occurs with calcium hypochlorite products.

[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[Pool Use:] START UP: Step 1. Condition pool water with KEM TEK™ STABILIZER CONDITIONER as per directions on its label. Thereafter, regular use of KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES alone will maintain proper stabilization. NOTE: Omit Step 1 if pool is already conditioned with a similar stabilizer. Step 2. Concurrently with Step 1, super chlorinate water by adding 10 oz. [12 oz. or 16 oz.] of KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES per 8000 gallons [10,000 gallons {for 12 oz.} or 13,000 gallons {for 16 oz.}] of pool water. See additional super chlorination instructions below.

DAILY CARE: After Steps 1 and 2 above, regularly check chlorine residual with a test kit and chlorinate daily or as needed to maintain 1.0 to 1.5 ppm residual chlorine. NOTE: One ounce of this product per 5,000 gallons of pool water will increase an existing chlorine residual by 0.8 ppm (1/8 rounded measuring cup = 1 oz.). Broadcast KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES directly into the pool water. pH: Keep pH of water between 7.2 and 7.6. Use KEM TEK™ pH MINUS (dry acid) to lower pH and KEM TEK™ pH PLUS (soda ash) to raise it.

SUPER CHLORINATION: Whenever the pool water loses its sparkle or turns green or the chlorine residual falls rapidly after regular chlorination, super chlorinate. Experience shows that during summer months, water will need to be super chlorinated with 10 oz. [12 oz. or 16 oz.] of KEM TEK™ ALL-IN-ONE CHLORINATING GRANULES per 8000 gallons [10,000 gallons {for 12 oz.} or 13,000 gallons {for 16 oz.}] of pool water every 10 to 14 days. Do not use the pool until the chlorine residual has dropped to 3 ppm.

[GENERAL:] The following tables are a handy reference to average chlorine requirements, but must not be substituted for regular use of a test kit since pools and conditions vary considerably. Test water frequently and chlorinate as needed. Anticipate an increased chlorine consumption with increased swimming, hot water or weather, rain, a dirty or neglected pool, etc.

[TYPICAL DAILY DOSAGE (SUMMERTIME)] [After Steps 1 & 2 above]

ABOVE GROUND POOL[S] - 3' to 4' Deep						IN GROUND POOL[S] - 7' to 9' DEEP					
Pool Diameter	12 Ft.	15 Ft.	18 Ft.	20 Ft.	24 Ft.	Pool Size Feet	14x28	16x32	17x34	18x36	20x40
Approx Gallons	2,500	4,500	7,000	9,000	13,000	Approx Gallons	15,000	20,000	25,000	30,000	35,000
Dosage Ounces	1	2	3	4	5	Dosage Ounces	6	7	8	9	10

[Spa Use:] FOR CONTROL OF BACTERIA AND ALGAE (OUTDOORS) IN SPAS:

1. Before bathing, test water pH, chlorine residual and alkalinity using a suitable test kit. Adjust chlorine residual to 3.0 ppm. After bathing super chlorinate to 5.0 ppm (1 level tablespoon [or Tbsp.] per 500 gallons of water). Use a chlorine stabilizer especially for outdoors, to prolong chlorine residual. Maintain pH of water between 7.2 and 7.6 and total alkalinity between 125 and 175 ppm with KEM TEK™ pH PLUS or KEM TEK™ pH MINUS.
2. This product does not affect pH or alkalinity of water. One tenth oz. (1/2 tsp. [or teaspoon]) per 500 gal. of water gives 0.8 ppm and 1 level Tbsp.[or tablespoon] gives 5 ppm of chlorine. To use, broadcast granules into water with jets running. Do not use the spa until the chlorine residual has dropped to 3 ppm.
3. With bathers in a 500 gal. [gallon] spa, a 2.0 ppm chlorine residual can drop below the minimum 1.0 ppm in 15-20 minutes. Less water or more bathers will accelerate loss. Test often and keep chlorine residual above 1.0 ppm.
4. Weekly, super chlorinate water to 5 or 6 ppm (see 2 above). Re-entry into spas is prohibited above levels of 3 ppm of chlorine. Drain and clean spa whenever the water becomes difficult to manage or chlorine stabilizer goes over 100 ppm as measured with a suitable cyanuric acid test kit. Avoid use of products such as body lotion that consume chlorine.

[Reader's Note: Throughout this label, product names for other similar products (i.e., pH adjusters, stabilizers, chlorinators etc.) may be substituted as appropriate.] [Other appropriate ounces product and corresponding gallons of water treated may be substituted on label]

[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name]



[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

STORAGE AND DISPOSAL

STORAGE: Keep product in tightly closed container when not in use. Store in a cool, dry, well-ventilated area away from heat or open flame. **CONTAINER DISPOSAL: IF EMPTY:** Nonrefillable container. Do not reuse or refill this container. Place in trash [collection] or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[OPTIONAL GRAPHICS]

MAINTAINING YOUR POOL IS AS EASY AS



NOTICE

AVISO




Children can fall into bucket and drown.
Keep children away from bucket with even a small amount of liquid.

Los niños pueden caer a esta cubo y ahogarse.
No deja que los niños se acerquen a este cubo aunque sólo contenga una pequeña cantidad de líquido.

WARNING

AVISO




Children can fall into bucket and drown.
Keep children away from bucket with even a small amount of liquid.

Los niños pueden caer dentro de el balde y ahogarse.
Mantenga a los niños alejados de los baldes aunque solo contengan un poco de líquido.

[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name] [Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[OPTIONAL GRAPHICS]



-  **Balanced pH**
-  **Fast Dissolving**
-  **Kills Algae & Bacteria**
-  **Salt System Compatible**

Easy

1 2 3

1 Balance 2 Chlorinate 3 Shock

13/17

[Optional: Kit Label front panel]

[Brand name AQUA GUARD™ or Kem Tek™ or Kem-Tek Pool & Spa Care may be used]

[optional]: 5-Step Pool Care System

ABOVE GROUND POOL
[START UP] [MAINTENANCE] KIT
[[All] The Basics Needed for Start-Up
and Continued Maintenance]

[FREE POOL CARE ADVICE
1-800-SOS-POOL]

[Contents will include two or more of the following]

Net Contents [or This Kit Contains]:

- ___ Qts [or Gal]
 [insert ABN for 7616-58]
- ___ Lbs.
 [insert ABN for 7616-70]
- ___ Lbs.
 [insert ABN for 7616-76]
- ___ Lbs.
 [insert ABN for other relevant EPA registered product]

- ___ Lbs. Kem Tek pH Plus
- ___ Lbs. Kem Tek pH Minus
- Floating Tablet Dispenser
- Test Strips and Instructions
- Test Kit and Instructions

[Non-EPA registered products: may substitute name for same product]

[Kit contents may be listed on another panel]

[Kit labeling front panel may include graphics, ingredient statements, and other information from EPA approved labels included in the kit] [Kit label name may vary]

[Note: Kit is to include EPA registered product labels fully visible on outside kit box as well as on the corresponding container inside the box.]

[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

[Optional: Kit Label]

[The following may be placed on front, side, or back panel of box and/or as an insert. Text is optional. Other text from EPA approved labeling (for products in the kit) may be substituted or used.]

[The following will be part of the Above Ground Pool [Start Up] [Maintenance] Kit's instructions]

STEPS FOR USING ABOVE GROUND POOL [START UP] [MAINTENANCE] KIT:

Pool Care: The Importance of Testing

Without proper testing a pool can quickly become cloudy, develop undesirable odors and even become unsafe to use. Testing is used to guide you in the treating of water. With proper testing this Start-Up Kit provides all the essentials to properly maintain your pool. Additional Kem Tek Products *[or insert other brand name]* are available to correct problems should they occur.

Chlorine: Chlorine breaks down due to many factors - swimmers, water temperature, and sunlight. In order to prevent growths, a chlorine level of 1-3 ppm must be maintained daily. Super chlorinate (shock) using the *[insert ABN for EPA Reg. No. 7616-70]* to start-up and establish a chlorine level as well at least once per week to remove any chlorine resistant problems. Use the test strips provided or any other reliable test kit to properly chlorinate the pool water. Use *[insert ABN for EPA Reg. No. 7616-70]* *[and/or insert ABN for EPA Reg. No. 7616-76]* to maintain daily chlorination (see below).

pH: pH is always present in water. Keep between 7.2 and 7.6 to make water comfortable for use. In addition, the other products used in pool care operate best in this range. pH control is a process of increasing it when it gets below 7.2 with Kem Tek pH Plus* or lowering it when it gets above 7.6 with Kem Tek pH Minus* to keep it in the ideal range. If pool pH is low, stop use of pool until pH is adjusted above 7.0.

(Start-Up):

Test pH and adjust to 7.2 – 7.6 if necessary. Then super chlorinate (shock) by following the dosage on the chart for your pool size. Once chlorine level is established and between 1-3 ppm, proceed with Daily Chlorination. Do not use the pool until the chlorine residual has dropped to 3 ppm.

[When Kit Contains EPA Reg. No. 7616-70]

Chlorination (daily):

For *[insert ABN for EPA Reg. No. 7616-70]* follow the dosage on the chart for your pool size. Treat pool every evening. For pools with above average use, treat mid-day and in the evening by adding the maintenance dose.

[and/or]

[When Kit Contains EPA Reg. No. 7616-76]

Chlorination (daily):

Add enough *[insert ABN for EPA Reg. No. 7616-76]* to fill dispenser half way. DO NOT FILL DISPENSER COMPLETELY. Adjust dispenser to a mid-setting. Place dispenser in pool water with chemical release openings facing down. Hold dispenser until it floats properly and upright. Test chlorine level periodically. Chlorine level must be maintained between 1-3 ppm at all times. Adjust floater setting to increase or decrease chlorine output. Do not use the pool until the chlorine residual has dropped to 3 ppm.

Weekly:

Super chlorinate in the evening and when heavy use or rain occurs. If water becomes cloudy or algae starts to grow, triple this dose to correct the problem. Run pump 4 to 8 hours minimum after addition of *[insert ABN for EPA Reg. No. 7616-70]*.

pH Adjustment:

Keep between 7.2 and 7.6. When the pH goes above 7.6 add Kem Tek pH Minus* and if it is below 7.2 add Kem Tek pH Plus*. Use chart for dosage. Run pump and check after 2-4 hours. The dose on the chart is only an estimate. Repeat as needed until the pH is corrected. Use a half dose when nearing the correct pH level.

Algaecide:

The chlorine used to prevent growths in pool water is rapidly consumed by weather conditions and pool use. The addition of Algaecide* helps prevent algae from getting started during periods when the chlorine is below 1 ppm. Add *[an] Algaecide* [, such as Kem Tek Pool & Spa Care Algaecide & Clarifier*]* at least once a month for prevention. Treat weekly for busy pools or hot summer weather. Whenever an algae growth occurs follow the instructions for super chlorination then add algaecide 24 hours after chlorination and chlorinate pool to 3 ppm if needed.

[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

Maintaining Your Pool:

Your pool can be kept clean and trouble free by following these instructions. In order for the chemical treatments to be effective the filter system must also be kept clean and in good working order. Hot weather and heavy swimmer load create the need for more chemical treatment and also require that the pump is run more often or for longer periods of time. Run the pump every night after adding chlorine to properly treat the water. In hot weather and with heavy use, due to the size of the pump/filter systems on small above ground pools, circulate 24hrs. per day. Also after every major storm or above normal use shocking the pool must be done to prevent problems.

[Reader's Note: Throughout this label, product names for other similar products (i.e., pH adjusters, stabilizers, chlorinators etc.) may be substituted as appropriate.]

Pool Size 12' and Under		KEM-TEK™ Pool & Spa Care All-In-One Chlorinating Granules		KEM-TEK™ Pool & Spa Care pH Minus*	KEM-TEK™ Pool & Spa Care pH Plus*	KEM-TEK™ Pool & Spa Care Algaecide & Clarifier*	
Diameter / Depth	Gallons	Daily Tsp.	Shock Tbs.	Tbs.	Cups	[Choose One] Tbs. Cups	
6' X 24"	500	2	2	1	1/4	4	1/4
8' X 30"	1,000	4	3	2	1/3	8	1/2
10' X 36"	1,500	6	4	3	2/3	11	2/3
11' X 36"	2,000	8	5	4	3/4	16	1
12' X 42"	2,500	10	6	5	1	18	1 1/8
Pool Size 13' and Above		KEM-TEK™ Pool & Spa Care All-In-One Chlorinating Granules		KEM-TEK™ Pool & Spa Care pH Minus*	KEM-TEK™ Pool & Spa Care pH Plus*	KEM-TEK™ Pool & Spa Care Algaecide & Clarifier*	
Diameter / Depth	Gallons	Daily Tbs.	Shock Cups	Cups	Cups	Cups	
13' X 4'	3,500	5	1/2	1/3	1 1/2	1 1/2	
15' X 4'	5,000	7	3/4	1/2	2	2 1/4	
18' X 4'	7,500	10	1 1/8	3/4	3	3 1/2	
21' X 4'	10,000	14	1 1/2	1	4	4 1/2	
24' X 4'	13,500	18	2 1/8	1 1/3	5 1/2	6	

*This [these] product[s] is [are] not included in the Kem-Tek Pool & Spa Care Above Ground Start-Up Kit.

[The following information may be used on the insert or panel containing this information, location optional]

**ABOVE GROUND POOL
[START UP] [MAINTENANCE] KIT**
[[All] The Basics Needed for Start-Up and Continued Maintenance:
[FREE POOL CARE ADVICE 1-800-SOS-POOL]

[The following must appear in any appropriate place on the box label [and also may appear on the insert]]

Manufactured by [for]:
KIK Pool Additives, Inc.
5160 E. Airport Dr.
Ontario, Calif. 91761

[Optional: Following may be included in addition to "Manufactured by [for]" address above: Distributed by [or Sold by] [or Marketed by] [or Marketed through Insert additional company name and address]

[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

16/17

[Non EPA registered label: for inclusion in kit with EPA registered products; other brand name for a non registered product may be used.]

Step 1
5 Step Pool Care
BALANCE

KEM TEK pH Plus

For Increasing Water pH
Fast Dissolving Soda Ash

KEEP OUT OF REACH OF CHILDREN
CAUTION: Irritant / Precaución: Irritante
[Read carefully other cautions on the _____panel]

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
To keep pH between 7.2 and 7.6 use 1/3 cup of KEM TEK™ pH PLUS (+) per 1,000 gal. of water for each one-tenth (0.1) increase desired.

DIRECTIONS: It is very important to maintain water in the 7.2 to 7.6 pH range. Use KEM TEK™ pH PLUS (soda ash) to raise pH and KEM TEK™ pH MINUS (dry acid) to lower it.

NOTE: Chlorine in test water sample will cause erroneously high pH readings unless chlorine-proof pH test solutions are used.

EXAMPLE: To raise 5,000 gal. of water from pH 7.1 to 7.4 use 4 3/4 cups. Broadcast directly into water. (1 cup = 8 ounces.)

Amount required to raise pH 1/10 (0.1):

Gallons:	1,000	2,500	5,000	7,500	10,000	15,000	25,000
Soda Ash	1/3 cup	1 cup	2 cups	3 cups	4 cups	9 cups	10 cups

TEST KITS: Mix only with water. A good test kit is essential to satisfactory pool maintenance. Be sure to use one that corrects for an erroneously high pH reading due to chlorine in the test water sample.

CONTAINS: SODIUM CARBONATE

PRECAUTIONARY MEASURES: Irritant. Avoid contact with eyes or mucous membranes and prolonged contact with skin. Do not mix with other pool chemicals. KEEP OUT OF REACH OF CHILDREN AND PETS

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Drink large quantities of water. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. IF IN EYES: Hold eye open and flush with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Do not reuse empty container. To prevent accidents, rinse empty container with water to dissolve all material before discarding.

[CA Reg. No. 7616-50039-AA][Adjuvant: Registration required in CA only]

Manufactured by [for]:
KIK Pool Additives, Inc.
5160 Airport Dr.
Ontario, Calif. 91761

Free Pool Care Advice
1-800-SOS-POOL www.kem-tek.com
Net Contents:

DO NOT STAMP THIS LABEL

[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name]
[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]

17/17

[Non EPA registered label: for inclusion in kit with EPA registered products; other brand name for a non registered product may be used.]

Step 1
5 Step Pool Care
BALANCE

KEM TEK pH MINUS

For Decreasing Water pH
Fast Dissolving Granular Acid

KEEP OUT OF REACH OF CHILDREN

DANGER: Causes Severe Burns / PELIGRO: Causa quemaduras severas

[Read carefully other cautions on the _____panel]

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

DIRECTIONS: Always test water before using acid to lower pH (see note below). If test kit doesn't indicate amount of acid needed, use small amount (8 oz. per 10,000 gals.) daily until pH stays within 7.2 to 7.6 range. 20 ounces of dry pool acid equals 2 pints of KEM TEK SWIMMING POOL MURIATIC ACID. Small amounts may be broadcast directly into water. Large amounts should be pre-dissolved in plastic pail and poured into water. Have pump running when adding acid and keep running for several hours thereafter. Never allow acid to contact metal or get into filter system.

NOTE: Chlorine in test water sample will cause erroneously high pH readings unless chlorine-proof pH test solutions are used.

NOTE: [Do not allow direct contact of this product on the following surfaces: vinyl, metallic, fiberglass, painted or colored plaster. Product will bleach color]

CONTAINS SODIUM BISULFATE

PRECAUTIONARY MEASURES: DANGER: CAUSES SEVERE BURNS. Do not inhale dust. Avoid contact with skin, eyes, or clothing. Do not mix with other chemicals. **KEEP OUT OF REACH OF CHILDREN AND PETS**

FIRST AID

IF SWALLOWED: Do not give anything by mouth to an unconscious person. **DO NOT** induce vomiting unless told to do so by poison control center or doctor. Drink large quantities of water or milk. Follow with Milk of Magnesia, vegetable oil, or beaten eggs. Call a poison control center or doctor immediately for treatment advice. **Call a poison control center or doctor immediately for treatment advice. IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice. **IF IN EYES:** Call a poison control center or doctor immediately for treatment advice. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Hold eye open and flush with plenty of water for 15-20 minutes. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth, if possible.

STORAGE AND DISPOSAL: Keep product dry in tightly closed container when not in use. Do not reuse empty container. To prevent accidents, rinse empty container with water to dissolve all material before discarding.

[CA Reg. No. 7616-50035-AA] [Adjuvant: Registration required in CA only]

Manufactured by [for]:
KIK Pool Additives, Inc.
5160 Airport Dr.
Ontario, Calif. 91761

Free Pool Care Advice
1-800-SOS-POOL www.kem-tek.com
Net Contents:

DO NOT STAMP THIS LABEL

[In the text "this product" or alternate brand name may be substituted for Kem Tek All-In-One Chlorinating Granules name]

[[Information in brackets] is optional or instructional; italics in brackets indicate instructions not part of labeling.]